




PRODUCT FEATURES:

- An electronic wall mounted modular system with liquid foam soap and paper dispenser for integration behind the mirror
- Includes frame, soap and paper towel dispenser (mirror not included)
- Foam soap dispenser capacity is refillable 1 litre or 5 litre option and is a sealed bottle replacement cartridge style
- GPO outlet required for power leads running through the top of the unit
- Stainless steel frame

Overall Dimensions
600mm W x 430mm H x 223mm D
or customised options available

See page 3 for product drawings



PRODUCT DATA:

CONSTRUCTION:

FASCIA: Fabricated of 0.9mm satin finish stainless steel.
BACK BOX: Fabricated of 0.9mm galvanised mild steel.
High polished chrome spout.
One litre soap bottle includes bottle support.

CAPACITY:

PAPER TOWEL DISPENSER

Holds 2 packs of Bradley Multifold Hand Towel. Single sheet dispensing helps reduce waste and overuse and only the towel used is touched for maximum hygiene.
Open sheet dimensions is 19.5 cm W x 24 cm (open)
Product depth when folded - 8.2 cm
Quantity per pack - 250 towels

FOAM SOAP DISPENSER

1 Litre

We recommend Bradley model AQF6011 Aqua Foam soap for optimum operation and performance.
(AQF6011: 1 litre bottle = 1,000 shots)

OPERATION:

PAPER TOWEL DISPENSER

Paper towel dispenser holds and dispenses approximately 450 interleave paper towels. Refill from top. Do not fill above line denoted on the product label.

FOAM SOAP DISPENSER

Model 6736 sensor activated bulk fill foam soap dispenser. Touch free electronic soap dispenser for behind mirror and cabinetry installations. Activated by infrared sensor and closes automatically when hands removed. Remote control option for soap quantity selection, soap refill, ability to temporarily disable sensor and restore factory settings. Please see additional warranty for exclusions. We recommend Bradley model AQF6011 Aqua Foam soap for optimum operation and performance. (AQF6011: 1 litre bottle = 1,000 shots)
Soap viscosity: 100 cps
Prime dispenser prior to use.


INSTALLATION:

Install above vanity behind the mirror.

Power source: AC 240 V

1 x powerpoint above the unit

Mark location of fixing holes and fix unit to the wall using suitable screws (screws not included).



Note: 6-Ø6 means 6 sets/pcs of number (#) 6 diameter holes as shown in the drawing.





Bradley

DWG NO. 726-FSP

APPROVED BY:

Proudly customised design please approve

SCALE:1:10



Note: 6-Ø6 means 6 sets/pcs of number (#) 6 diameter holes as shown in the drawing.




Bradley

DWG NO. 726-FSP D

APPROVED BY:

Proudly customised design please approve

SCALE:1:10



Note: 6-Ø6 means 6 sets/pcs of number (#) 6 diameter holes as shown in the drawing.
 Note: R5 and R3 are the hole opening wherein the soap dispenser is attached.

Bradley

DWG NO. 726-FSP P

APPROVED BY:

Proudly customised design please approve

SCALE: 1:10